



00069

TEST REPORT

N° 26-LA45200

Sample identification number: 26-LA45200

(C) Sample description: Balance Coffee Beans and Ground Sample

(C) Sampled by: Customer (S)

Retired by: Courier service

(C) Customer: PUREVIBE WELLNESS LTD
167-169 Great Portland Street
LONDON W1W 5PF

Sample arrival date: 13/08/2026

RESULTS

Test Method	Microbiological parameters	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
YEAST and MOULD												
Moulds		< 9	0-77	CFU/g	9				0_A		13/08	18/08
ISO 21527-2:2008												
Yeasts		< 9	0-76	CFU/g	9				0_A		13/08	18/08
ISO 21527-2:2008												
Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Arsenic (As)		< 0.050		mg/kg	0.050	0.020			0_A		17/08	18/08
UNI EN 13805:2014 + UNI EN 15763:2010												
Cadmium (Cd)		< 0.010		mg/kg	0.010	0.003			0_A		17/08	18/08
UNI EN 13805:2014 + UNI EN 15763:2010												
Lead (Pb)		< 0.010		mg/kg	0.010	0.003			0_A		17/08	18/08
UNI EN 13805:2014 + UNI EN 15763:2010												
Ochratoxin (OTA)		< 0.3		µg/kg	0.3				0_A		14/08	18/08
MP/C/54 rev 1 2017												
AFLATOXIN												
Aflatoxin B1		< 0.5		µg/kg	0.5	0.2			0_A		14/08	18/08
MP/C/41 rev 2 2026												
Aflatoxin B2		< 0.5		µg/kg	0.5	0.2			0_A		14/08	18/08
MP/C/41 rev 2 2026												
Aflatoxin G1		< 0.5		µg/kg	0.5	0.2			0_A		14/08	18/08
MP/C/41 rev 2 2026												
Aflatoxin G2		< 0.5		µg/kg	0.5	0.2			0_A		14/08	18/08
MP/C/41 rev 2 2026												
Total Aflatoxins		< 0.5		µg/kg					0_A		14/08	18/08
MP/C/41 rev 2 2026												
COMPLETE MULTI-RESIDUE												
* 2-Phenylidrochinone		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
UNI EN 15662:2018												
2-Phenylphenol (Sum of 2-Phenylphenol and conjugates, expressed as 2-Phenylphenol)		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
UNI EN 15662:2018												
4,4-Dichlorobenzophenone		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
UNI EN 15662:2018												
4-chloro-3-methylphenol (PCMC)		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
UNI EN 15662:2018												

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 1 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
4-Phenylphenol <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
6-Benzylaminopurine (6-Benzyladenine) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Abamectin (Sum of Avermectin B1a, Avermectin B1b and delta-8,9 isomer of Avermectin B1a, expressed as Avermectin B1a) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Avermectin B1a <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Avermectin B1b <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Avermectin B1a 8,9z <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Acephate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Acequinocyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Acetamiprid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Acetochlor <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Acibenzolar-S-methyl (Sum of Acibenzolar-S-methyl and Acibenzolar acid espressed as Acibenzolar-S-methyl) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Acibenzolar acid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Acibenzolar-S-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Aclonifen <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Acrinathrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Alachlor <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Aldicarb (Sum of Aldicarb and Aldicarb-sulfone, Aldicarb-sulfoxide expressed as Aldicarb) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Aldicarb-sulfone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Aldicarb-sulfoxide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Aldicarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Allethrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Ametoctradin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Ametryn <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Amidosulfuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Aminopyralid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 2 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Amisulbrom <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Amitraz (included metabolite containing 2,4-DMA expressed as Amitraz) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
2,4-Dimethylaniline (2,4 DMA) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Amitraz <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
N-2,4-Dimethylphenyl-N'-methylformamidine [DMPF] <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
N-2,4-Dimethylphenyl-formamide [DMF] <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Anilazine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Atrazine-desethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Atrazine-desisopropyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Atrazine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Azaconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Azadirachtin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Azinphos-ethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Azinphos-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Azoxystrobin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bendiocarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Benfluralin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Benomyl (Sum of Benomyl and Carbendazim expressed as Carbendazim) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Benomyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Carbendazim <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bensulfuron methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Bentazone (Sum of Bentazone, its salts and 6-hydroxy Bentazone (free and conjugated) and 8-hydroxy Bentazone (free and conjugated), expressed as Bentazone) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
* 6-Hydroxy-Bentazone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 3 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
* 8-Hydroxy-Bentazone UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Bentazone UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Benthiavalicarb (Benthiavalicarb-isopropyl (KIF-230 R-L) and its enantiomer (KIF-230 S-D) and its diastereomers (KIF-230 S-L and KIF-230 R-D), expressed as Benthiavalicarb-isopropyl) UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Benzoylprop-ethyl UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Benzoximate UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Benzovindiflupyr UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bifenazate (Sum of Bifenazate plus Bifenazate-Diazene expressed as Bifenazate) UNI EN 15662:2018		< 0.010		mg/kg					0_A		14/08	17/08
Bifenazate diazene UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Bifenazate UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Biphenyl UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bifenox UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bifenthrin (sum of isomers) UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bitertanol (sum of isomers) UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Boscalid UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bromacil UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Bromadiolone UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bromocyclen UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bromophos-ethyl UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bromophos-methyl UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bromopropylate UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bromoxynil-methyl UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bromoxynil-octanoate UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bromoxynil and its salts, expressed as bromoxynil UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Bromuconazole (sum of diastereoisomers) UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Bupirimate UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Buprofezin UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 4 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto:PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
* Butachlor UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Butocarboxim UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Butoxycarboxim UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Cadusafos UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Captafol UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Captan (Sum of Captan and Tetrahydrophthalimide exp as Captan) UNI EN 15662:2018		< 0.010		mg/kg					0_A		14/08	18/08
Captan UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tetrahydrophthalimide UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Carbaryl UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Carbofuran (Sum of Carbofuran (including any Carbofuran generated from Carbosulfan, Benfuracarb or Furathiocarb) and 3-OH Carbofuran expressed as Carbofuran) UNI EN 15662:2018		< 0.010		mg/kg					0_A		14/08	18/08
Benfuracarb UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Carbofuran-3-hydroxy UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Carbofuran UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Carbosulfan UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Furathiocarb UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Carbophenothion-methyl UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Carbophenothion UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Carboxin (Carboxin plus its metabolites Carboxin sulfoxide and Oxycarboxin (Carboxin sulfone), expressed as Carboxin) UNI EN 15662:2018		< 0.010		mg/kg					0_A		14/08	17/08
Carboxin UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Carboxin sulfoxide UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Oxycarboxin UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Carfentrazone-ethyl (Carfentrazone free acid expressed as Carfentrazone-ethyl) UNI EN 15662:2018		< 0.010		mg/kg					0_A		14/08	17/08
Carfentrazone-ethyl UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Carfentrazone acid UNI EN 15662:2018		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 5 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Chinomethionat <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorantraniliprole (DPX E-2Y45) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Chlorbromuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Chlordane (Sum of cis-Chlordane and trans-Chlordane) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
cis-Chlordane <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
trans-Chlordane <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Cinosulfuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Chlordimeform <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorfenapyr <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorfenson <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorfenvinphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorfluazuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Chloridazon (sum of Chloridazon and Chloridazon-desphenyl, expressed as Chloridazon) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Chloridazon-desphenyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Chloridazon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Chlormephos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorobenzilate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chloropropylate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chloroxuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Chlorpyrifos-ethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorpyrifos-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorpropham <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorsulfuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Chlorthal-dimethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorothalonil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorthiamid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorthiophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 6 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto:PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Chlorthion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Chlorotoluron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Chlozolate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cyhalofop-p-butyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cyanazin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cyanofenphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cyanophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cyantraniliprole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Cyazofamid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Cycloate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO ₂) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO ₂) or methyl esters thereof, calculated in total as Cycloxydim <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Cyflufenamid (Sum of isomer E and Z) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cyfluthrin (Sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Cyfluthrin-beta <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cymiazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cymoxanil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Cypermethrin (Sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Alphamethrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cypermethrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cyproconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cyprodinil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Cyromazine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Chlodinafop and its S-isomers and their salts, expressed as chlodinafop <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Clofentezine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Clomazone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 7 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Clothianidin <i>UNI EN 15662:2018</i>		< 0.005		mg/kg	0.005	0.003			0_A		14/08	17/08
Coumaphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Coumatetralyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
DDT (Sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
o-p'-DDT <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
p-p'-DDD <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
p-p'-DDE <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
p-p'-DDT <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
DEET [Diethyl-m-toluamid,N,N] <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Deltamethrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Demeton-S-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Desmedifam <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Dialifos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Diazinon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dichlobenil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Diclobutrazol <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dichlofenthion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dichlofluanid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dichlorvos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Diclofop (Sum Diclofop-methyl and Diclofop acid expressed as Diclofop-methyl) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Diclofop-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Diclofop <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dicloran <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dicofol (Sum of p,p' and o,p' isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dicrotophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dieldrin (Sum of Dieldrin and Aldrin expressed as Dieldrin) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 8 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Aldrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dieldrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Diethofencarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Difenoconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Diflubenzuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Diflufenican <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dimefox <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dimepiperate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Diphenamid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dimethoate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Dimethomorph (Sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Dimetridazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dimoxystrobin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Diniconazole (Sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dinitramine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Dioxacarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Dipropetryn <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Disulfoton (Sum of Disulfoton, Disulfoton-sulfone, Disulfoton-sulfoxide expressed as Disulfoton) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Disulfoton-sulfone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Disulfoton-sulfoxyde <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Disulfoton <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Ditalimfos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Diuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Dodine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Edifenphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Emamectin B1a and its salts, expressed as emamectin B1a (free base) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 9 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Endosulfan (Sum of Alpha and Beta and Sulfate expressed as Endosulfan) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
alpha-endosulfan <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
beta-Endosulfan <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Endosulfan-sulfate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Endrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Endrin aldehyde <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
EPN [O-ethyl O-(4-nitrophenyl) phenylphosphonothioate] <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Epoxiconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including Esfenvalerate) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Etaconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Ethalfuralin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Ethiofencarb-sulfone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Ethiofencarb-sulfoxide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Ethiofencarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Ethion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Ethirimol <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Ethofumesate (Sum of ethofumesate, 2-keto-ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
2-keto-ethofumesate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Ethofumesate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Ethoprophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Ethoxysulfuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Etofenprox <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Ettoxazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Etridiazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Etrimfos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Famoxadone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 10 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Fenamidone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Fenamiphos (Sum of Fenamiphos and Fenamiphos-sulfone, Fenamiphos-sulfoxide expressed as Fenamiphos) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Fenamiphos-sulfone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenamiphos-sulfoxide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenamiphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenarimol <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenazaquin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Fenbuconazole (Sum of constituent enantiomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenchlorphos (Sum of Fenchlorphos and Fenchlorphos-oxon expressed as Fenchlorphos) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Fenchlorphos-oxon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenchlorphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenhexamid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenitrothion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Fenobucarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Fenothiocarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenoxaprop (Fenoxaprop-p included) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Fenoxaprop-p-ethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Fenoxycarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Fenpyrazamine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Fenpyroximate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Fenpropathrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenpropidin (Sum of Fenpropidin and its salts, expressed as Fenpropidin) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Fenpropimorph (sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fenson <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 11 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
	Fenthion (Sum of Fenthion and Fenthion-oxon, Fenthion-oxon-sulfone, Fenthion-oxon-sulfoxide, Fenthion-sulfone, Fenthion-sulfoxide expressed as Fenthion) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg					0_A		14/08	18/08
	Fenthion-oxon-sulfone <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fenthion-oxon-sulfoxide <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fenthion-oxon <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fenthion-sulfone <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fenthion-sulfoxide <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fenthion <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fenuron <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Fipronil (Sum of Fipronil and Fipronil Sulfone expressed as Fipronil) <i>UNI EN 15662:2018</i>	< 0.003		mg/kg					0_A		14/08	18/08
	Fipronil-sulfone <i>UNI EN 15662:2018</i>	< 0.003		mg/kg	0.003	0.002			0_A		14/08	18/08
	Fipronil <i>UNI EN 15662:2018</i>	< 0.003		mg/kg	0.003	0.002			0_A		14/08	18/08
	Fipronil-desulfinyl <i>UNI EN 15662:2018</i>	< 0.003		mg/kg	0.003	0.002			0_A		14/08	18/08
	Flamprop-isopropyl <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flamprop methyl <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flonicamid (Sum of Flonicamid and TFNA, TFNG expressed as Flonicamid) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg					0_A		14/08	17/08
	Flonicamid <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	TFNA <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	TFNG <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Florasulam <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Fluazifop-P (Sum of all the constituent isomers of Fluazifop, its esters and its conjugates, expressed as Fluazifop) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Fluazinam <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Flubendiamide <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Flubenzimine <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flucycloxuron <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 12 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
	Flucythrinate (Flucythrinate including other mixtures of constituent isomers (Sum of isomers)) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fluchloralin <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fludioxonil <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flufenacet (Sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as Flufenacet equivalent) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg					0_A		14/08	18/08
	4-Fluoro-N-isopropylaniline <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flufenacet <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flufenacet alcohol <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flufenacet-ethane sulfonic acid (ESA) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flufenacet oxalamic acid (OA) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flufenacet thioglycolate sulfoxide <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flufenoxuron <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Fluopicolide <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fluopyram <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Fluotrimazole <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fluoxastrobilin (sum of fluoxastrobilin and its Z-isomer) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
*	Flupyrifos-methyl <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Flupyradifurone <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Fluquinconazole <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fluridone <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flurochloridone (Sum of cis- and trans- isomers) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flurprimidol <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flusilazole <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fluthiacet-methyl <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flutolanil <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Flutriafol <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Fluxapyroxad <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 13 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Folpet (Sum of Folpet and Phtalimide expressed as Folpet) <i>UNI EN 15662:2018</i>		0.085	±0.025	mg/kg			0.1	90%	0_A		14/08	18/08
Folpet <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phthalimide <i>UNI EN 15662:2018</i>		0.042	±0.021	mg/kg	0.010	0.003		90%	0_A	1	14/08	18/08
Fonofos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Forchlorfenuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Formetanate (Sum of Formetanate and its salts expressed as Formetanate hydrochloride) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Formothion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fosthiazate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Fuberidazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Furalaxyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Haloxypop (Sum of Haloxypop, its esters, salts and conjugates expressed as Haloxypop (sum of the R- and S- isomers at any ratio)) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
HCH (Hexachlorocyclohexane) (Sum of isomers Alpha, Beta, Delta and Epsilon) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
alpha-HCH <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
beta-HCH <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
delta-HCH <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
epsilon-HCH <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
gamma HCH [Lindane] <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Heptachlor (Sum of Heptachlor and Heptachlor epoxide expressed as Heptachlor) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
cis-Heptachloroepoxide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Heptachlor <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
trans-Heptachloroepoxide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Heptenophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Hexachlorobenzene <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Hexaconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Hexaflumuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 14 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto:PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Hexazinone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Hexythiazox <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Imazalil (any ratio of constituent isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Imazamox (Sum of Imazamox and its salts, expressed as Imazamox) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Imazapyr <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Imazaquin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Imazethapyr <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Imazosulfuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Imibenconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Imidacloprid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Indoxacarb (Sum of indoxacarb and its enantiomer R) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Iodofenphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Iodosulfuron-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Ipconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Iprobenfos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Iprodione <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Iprovalicarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Isazophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Isocarbophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Isodrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Isufenphos-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Isufenphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Isfetamid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Isopropalin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Isoproturon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Isopyrazam <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Isoxaben <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 15 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Isoxadifen-ethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Isoxaflutole (Sum of Isoxaflutole and its diketonitrile-metabolite, expressed as Isoxaflutole) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Isoxaflutole-diketonnitrile <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Isoxaflutole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Isoxathion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
lambda-Cyhalothrin (includes gamma-Cyhalothrin) (sum of R,S and S,R isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Lenacil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Leptophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Linuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Lufenuron (any ratio of constituent isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Kresoxim-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Malathion (Sum of Malathion and Malaoxon expressed as Malathion) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Malaoxon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Malathion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Mandipropamid (any ratio of constituent isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Mecarbam <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Mefenpyr-diethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Mepanipyrim <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Mepronil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Mesosulfuron methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Metaflumizone (Sum of isomer E and Z) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Metalaxyl and Metalaxyl-M (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers)) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Methacrifos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Methamidophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Metamitron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 16 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PH Labs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as Metazachlor) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Metazaclor OA (479M04) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Metazachlor <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Metazaclor ESA (479M08) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Metazaclor metabolite (479M16) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Metconazole (Sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Methiocarb (Sum of Methiocarb, Methiocarb-sulfone, Methiocarb-sulfoxide expressed as Methiocarb) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Methiocarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Methiocarb-sulfone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Methiocarb-sulfoxide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Methomyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Metidathion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Metobromuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Metolachlor and S-Metolachlor (Metolachlor including other mixtures of constituent isomers including S-Metolachlor (Sum of isomers)) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Metolcarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Methoprotetryne <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Methoxychlor <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Methoxyfenozide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Metosulam <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Metoxuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Metrafenone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Metribuzin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Metsulfuron-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Mevinphos (Sum of isomer E and Z) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Mgk-264 <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Myclobutanil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 17 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
	Milbemectin (Sum of Milbemycin A4 and A3 expressed as Milbemectin) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Mirex <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Monocrotophos <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Monolinuron <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Naled <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Napropamide <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Neburon <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Nicosulfuron <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Nitenpyram <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Nitrapyrin <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Nitrofen <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Nitrothal-isopropyl <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Novaluron <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Nuarimol <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Omethoate <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Oxadiazon <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Oxadixyl <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
*	Oxamyl oxime <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Oxamyl <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
*	Oxasulfuron <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Oxathiapiprolin <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Oxydemeton-methyl (Sum of Oxydemeton-methyl and Demeton-S-methylsulfone expr. as Oxydemeton-methyl) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg					0_A		14/08	17/08
	Demeton-S-methyl-sulfone <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Oxydemeton-methyl <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
	Oxyfluorfen <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
	Paclobutrazol (Sum of constituent isomers) <i>UNI EN 15662:2018</i>	< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 18 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Paraoxon-ethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Parathion-ethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Parathion-methyl (Sum of Parathion-methyl and Paraoxon-methyl expressed as Parathion-methyl) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Paraoxon-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Parathion-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pencycuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Penconazole (Sum of constituent isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pendimethalin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Penflufen <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Pentachloroanisole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pentachlorobenzene <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pentachlorophenol <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phenmedipham <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phenthoate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Permethrin (Sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Perthane <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pethoxamid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Phorate (sum of Phorate, its oxygen analogue and their sulfones expressed as Phorate) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Phorate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phorate-oxon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phorate-oxon-sulfone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phorate-sulfone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phosalone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phosmet (Sum of Phosmet and Phosmet oxon expressed as Phosmet) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Phosmet <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phosmet oxon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 19 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Phosphamidon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Phoxim <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Picolinafen <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Picoxystrobin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Pinoxaden <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Piperonyl butoxide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Pyraclofos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Pirimicarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pirimiphos-ethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pirimiphos-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pretilachlor <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Procymidone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Prochloraz (Sum of Prochloraz, BTS 44595 (M201-04), BTS 44596 (M201-03), expressed as Prochloraz) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
BTS 44595 <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
BTS 44596 <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Prochloraz <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Propham <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Profenofos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Profluralin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Profoxydim <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Promecarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Prometon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Prometryn <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Propachlor: oxalinic derivate of Propachlor, expressed as Propachlor <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Propachlor <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Propachlor oxalinic acid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 20 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Propamocarb (Sum of Propamocarb and its salts, expressed as Propamocarb) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Propanil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Propargite <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Propazine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Propiconazole (Sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Propyzamide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Propoxur <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Proquinazid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Prosulfocarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Pyraclostrobin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Pyraflufen-ethyl (Sum of Pyraflufen-ethyl and Pyraflufen, expressed as Pyraflufen-ethyl) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Pyraflufen-ethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pyraflufen <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pyrazophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pyrethrins <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Pyridaben <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pyridaphenthion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pyridate (Sum of Pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-Phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as Pyridate) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Pyridafol (6-chloro-4-hydroxy-3-phenylpyridazine) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Pyridate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Pyrifenox <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pyrimethanil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pyriproxyfen <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Prothioconazole-desthio <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Prothioconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 21 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Prothiophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Prothoate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Pymetrozine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Quinalphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Quinoxifen <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Quintozene (Sum of Quintozene and Pentachloroaniline expressed as Quintozene) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
Pentachloroaniline <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Quintozene <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Quizalofop (Sum of Quizalofop, its salts, its esters (including Propaquizafop) and its conjugates, expressed as Quizalofop (any ratio of constituent isomers)) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Propaquizafop <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Quizalofop acid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Rimsulfuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Rotenone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
S 421 <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Saflufenacil (Sum of Saflufenacil, M800H11 and M800H35, expressed as Saflufenacil) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
* Saflufenacil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* M800H11 <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* M800H35 <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Sedaxane <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Clethodim (Sum of Sethoxydim and Clethodim including degradation products calculated as Sethoxydim) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Clethodim <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Sethoxydim <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Silaneophan [Silafuofen] <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Simazine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 22 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Simetryn <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Spinetoram <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Spinosad (Spinosad, Sum of Spinosyn A and Spinosyn D) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Spinosyn A <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Spinosyn D <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Spiroclufen <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Spiromesifen <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Spirotetramat (Sum of Spirotetramat and Metabolite BYI08330-cis-enol, BYI08330-enol-glucoside, BYI08330-cis-keto-hydroxy, BYI08330-mono-hydroxy expressed as Spirotetramat) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	17/08
Spirotetramat <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Spirotetramat Metabolite BYI08330-cis-enol <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Spiroxamine (Sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Sulfosulfuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Sulfotep <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Sulfoxaflor (Sum of isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
tau-Fluvalinate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tebuconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tebufenozide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Tebufenpyrad <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tebupirimfos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tecnazene <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Teflubenzuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Tefluthrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
* Tembotrione <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Terbacil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Terbufos-sulfone <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Terbufos-sulfoxide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 23 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto:PHLabs@tuvsud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Terbufos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Terbumeton <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Terbuthylazine-desethyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Terbuthylazine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Terbutryn <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tetrachlorvinphos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tetraconazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tetradifon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tetramethrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tetrasul <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Thiabendazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Thiacloprid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Thiamethoxam <i>UNI EN 15662:2018</i>		< 0.005		mg/kg	0.005	0.003			0_A		14/08	17/08
* Thiencarbazone-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
* Tiocarbazil <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Thiodicarb <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Thiophanate-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Thionazin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tolclofos-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tolyfluanid (Sum of Tolyfluanid and DMST expressed as Tolyfluanid) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
DMST (Dimethylaminolsulfotoluidide) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tolyfluanid <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tralkoxydim (sum of the constituent isomers of tralkoxydim) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Transfluthrin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Triadimefon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Triadimenol (any ratio of constituent isomers) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Triasulfuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 24 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
 - Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
 - Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
 - Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph
 telefono: +39 055 80961 fax: +39 055 8071099
 telefono: +39 055 80677 fax: +39 055 8067850
 telefono: +39 0971 485795 fax: +39 0971 485795



00069

N° 26-LA45200

Test Method	Contaminants	Results	unc	u.m.	LOQ	LOD	Limits	Rec.	Cat. Site	Note	Start date	End date
Triazamate <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Triazophos <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tribenuron-methyl <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Tricyclazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Trichlorfon <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Trichloronat <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Tridemorph <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Trifloxystrobin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Triflumizole (Triflumizole and metabolite FM-6-1(N-(4-chloro-2-Trifluoromethylphenyl)-n-Propoxyacetamide), expressed as Triflumizole) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg					0_A		14/08	18/08
FM-6 <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Triflumizole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Triflumuron <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Trifluralin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Triflusalufuron (6-(2,2,2-trifluoroethoxy)-1,3,5-triazine-2,4-diamine (IN-M7222)) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Triforine <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Trinexapac (Sum of trinexapac (acid) and its salts, expressed as Trinexapac) <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	17/08
Triticonazole <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Valiphenalat <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Vamidothion <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Vinclozolin <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08
Zoxamide <i>UNI EN 15662:2018</i>		< 0.010		mg/kg	0.010	0.003			0_A		14/08	18/08

Legend:

unc = (uncertainty); u.m. (unit of measurement); LOQ (limit of quantification); LOD, MDL (limit of determination, method detection limit); Rec. (recovery);

Cat. Site (Category Site); 0 (tests performed at the Laboratory); II (tests performed at a mobile site); III (tests performed by laboratory personnel at sites outside the testing Laboratory); A (Barberino Tavarnelle - FI, Sangallo street 29); B (Barberino Tavarnelle - FI, Bramante street 10/12); D (Tito Scalo snc Industrial zone); LE.# (test performed subcontracted at a third-party Laboratory. PH Srl is responsible to the client for the subcontracted work, unless the client specifies which laboratory is to be used);

(* not accredited test by ACCREDIA)

(S) The laboratory declines all responsibility for sampling.

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 25 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG

- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)

- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)

- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuvsud.com web: www.tuv.it/ph

telefono: +39 055 80961

fax: +39 055 8071099

telefono: +39 055 80677

fax: +39 055 8067850

telefono: +39 0971 485795

fax: +39 0971 485795



00069

N° 26-LA45200

(C) Information provided by Client/Third Parties. The laboratory accepts no liability for results obtained from calculations with data provided by Client/Third Parties and for any information provided by Client/Third Parties that may influence the test results.

NOTES

1: Phtalimide can form naturally in the absence of Folpet and Fosmet by reactions, mainly promoted by heat treatment, with amines present in food matrices (Relana 2016/07/22)

- Expanded uncertainty is referred to 95% confidence level. Coverage factor $k=2$.
- For microbiological food testing, the reported expanded measurement uncertainty has been estimated in accordance with ISO 19036:2019. The quantitative tests are carried out in single replication in accordance with the ISO 7218:2024.
- For Chemical test, the limit of determination (LOD) results as 3/10LOQ if not indicated otherwise.
- For Multiresidual test quality checks provided by the method were verified and the results given are corrected for recovery.
- The Laboratory uses the point as decimal separator.
- Where a declaration of conformity to a specification or standard is required, unless the decision rule is already contained in the specification or standard itself, the laboratory shall adopt as its decision rule the direct comparison with the limit without taking into account the uncertainty.
- The results refer to the sample as received.
- The reported results only refer to the tested sample.

Date, 21/08/2026



as per Technical Manager
dott. Patrizio Nuti

--- End of Test Report ---

This test report shall not be reproduced except in full, without written approval of the laboratory. The original test report is supplied in digital form and digitally signed by the authorised responsible. Printed copy of the mentioned original digital test report has no legal value.

Format Report: LA03.01 rev.23 del 14/07/2026

Page 26 of 26

P.H. s.r.l. Società unipersonale soggetta al controllo e al coordinamento di TÜV SÜD AG
- Sede legale e Laboratorio Alimenti: Via Sangallo, 29 50028 Barberino Tavarnelle (FI)
- Uffici e Laboratorio Ambiente: Via Bramante, 10/12 50028 Barberino Tavarnelle (FI)
- Laboratorio Ambiente: Z.I. Tito Scalo 85050 Tito (PZ)

mailto: PHLabs@tuv-sud.com web: www.tuv.it/ph
telefono: +39 055 80961 fax: +39 055 8071099
telefono: +39 055 80677 fax: +39 055 8067850
telefono: +39 0971 485795 fax: +39 0971 485795